

**TRANSFORMERS AND CHOKE LAMINATION STANDARD TYPE SINGLE PHASE - I**

NOMINAL DIMENSIONS ( MM )								Holes		
Type No.	A	B	C	D	E	F	G	No.	Dia	Distance
<b>L164or 80</b>	4.8	19.1	15.9	2.4	2.4	11.1	4.8			
<b>L109or 32</b>	6.4	25.4	19.1	3.2	3.2	12.7	6.4	<b>Available in EE also</b>		
<b>17</b>	12.7	38.1	31.8	6.4	6.4	19.1	6.4			
<b>INT41</b>	13.0	41.0	33.0	6.0	6.0	21.0	8.0			
<b>12</b>	15.9	47.6	39.7	7.9	7.9	23.8	7.9			
<b>74</b>	17.5	52.4	43.7	8.7	8.7	26.2	8.7			
<b>23</b>	19.1	57.2	47.6	9.5	9.5	28.6	9.5			
<b>30</b>	20.0	60.0	50.0	10.0	10.0	30.0	10.0	4.0	4.1	50.0
<b>45</b>	22.2	66.7	55.6	11.1	11.1	33.3	11.1	4.0	4.5	
<b>15</b>	25.4	76.2	63.5	12.7	12.7	38.1	12.7	4.0	5.5	63.5
<b>33</b>	28.0	84.0	70.0	14.0	14.0	42.0	14.0	4.0	5.5	70.0
<b>3</b>	31.8	95.3	79.4	15.9	15.9	47.6	15.9	4.0	6.0	79.3
<b>16 or 4</b>	38.1	114.3	95.3	19.1	19.1	57.2	19.1	4.0	6.0	95.0
<b>5</b>	38.0	120.7	95.3	19.1	19.1	57.2	22.2	4.0	6.2	101.8
<b>6</b>	38.1	127.0	114.3	19.1	19.1	76.2	25.4	4.0	6.2	107.4
<b>INT120</b>	40.0	120.0	100.0	20.0	20.0	60.0	20.0	4.0	5.5	100.0
<b>43 or 7</b>	50.8	152.4	127.0	25.4	25.4	76.2	25.4	4.0	7.0	127.0
<b>8</b>	50.8	184.5	171.5	25.4	25.4	120.7	41.3	4.0	9.0	159.5
<b>8B</b>	76.2	235.0	196.9	38.1	38.1	120.7	41.3	4.0	10.0	197.0
<b>8C</b>	76.2	235.0	317.5	38.1	38.1	241.3	41.3	4.0	10.0	197.0
<b>S10</b>	63.5	190.5	158.7	31.7	31.7	95.2	31.7	4.0	10.0	159.0

<b>S9</b>	76.2	228.6	190.5	38.1	38.1	114.3	38.1	4.0	12.7	190.0
<b>S14</b>	88.9	266.5	222.5	44.4	44.4	133.5	44.4	6.0	12.7	227.3
<b>S6</b>	44.5	133.5	111.4	22.5	22.5	66.5	22.5	4.0	6.2	111.5
<b>100</b>	101.6	355.6	254.0	50.8	50.8	152.4	76.2	6.0	12.5	
<b>31</b>	22.2	66.7	55.6	11.1	11.1	33.3	11.1			
<b>S29</b>	9.0	29.0	27.0	4.0	4.0	19.0	6.0			
<b>S35 or 1 No. Spl.</b>	10.0	35.0	30.0	5.0	5.0	20.0	7.5			
<b>S28 or 1 No.</b>	8.0	28.0	25.0	4.0	4.0	17.0	6.0			
<b>S30</b>	10.0	30.0	25.0	5.0	5.0	15.0	5.0			
<b>S42</b>	12.0	42.0	42.0	6.0	6.0	30.0	9.0			
<b>S12</b>	101.6	304.8	254.0	50.8	50.8	152.4	50.8	6.0	12.5	
<b>S 68</b>	24.0	68.0	68.0	10.0	12.0	34.0	12.0	6.0	5.5	
<b>S 118</b>	38.0	118.0	158.0	19.5	19.5	118.0	20.5	6.0	7.0	

Special Features :

- 1) International Quality & Technology
- 2) Long EI are also available in types No. 33, 3, 15, 7, 8b etc.
- 3) We undertake Tailor made jobs also.
- 4) Lamination are manufactured only from the Electrical Steel Grade under which they are listed I.e C.R.N.O.
- 5) Lamination are available with Air gap on center limb for choke application
- 6) Type 15, 33, 30 are also available without holes on request.
- 7) Strips as per customer specification without holes on request.  
Use core filler machines.

